



## Cabinet lift system ECO RF

K-Eco series is a budget version of K-Type. RF Operated remote controller attached - RF signal can easily go through wooden furniture, eliminating the necessity of wiring antennas or receivers outside the furniture. Lift is equipped with an electric motor safety system, that prevents the motor from overheating by carrying a load that is heavier than possible. Viewing position is programmed with the control box - a very easy procedure, properly described in the attached manual. Universal TV mount covers VESA standards from 200x200 to 600x600 and everything in between. The digital display shows all the necessary operational commands and programming modes.




**RF remote  
control included**



**Easy stroke  
adjustment**




**5 year  
warranty**



Compatible accessories on pages 56 - 57



Specification		
	K-1 Eco RF	K-2 Eco RF
lifting capacity	30 kg / 65 lb	50 kg / 110 lb
lifting height	720 mm / 28"	840 mm / 33"
max screen height	690 mm / 27"	800 mm / 32"
max. VESA	400x600	600x600
lifting speed	20 mm/s	
power consumption	80W	
power supply	115V/230V	



**Extension bracket available for low mount LED TV**  
**Product ID: K-BRCK-EXTD**

Dimensions [mm]		
	K-1 Eco RF	K-2 Eco RF
A	708	822
B	1428	1662
C	508	708
D	111	111
E	530	600
F	100-460	100-660

Find out more on: [rtv.sabaj.pl](http://rtv.sabaj.pl)